

Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

Establishment Name STUMLER'S CATERING	Telephone Number Est 502-817-2084 Own 502-817-2084	Date of Inspection 02/16/2022	ID#		
Address 1805 BEECHWOOD AVE, NEW ALBANY IN 47150					
Owner DEBORAH GREGORY	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up	Released 02/16/2022		
Owner's Address 207 BARTHOLOMEW BLVD. JEFFERSONVILLE, IN 47130-					
Person in Charge DEBRA GREGORY					
Responsible Person's Email STUMLERSCATERING@YAHOO.COM		Menu Type 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input checked="" type="checkbox"/> 5 <input type="checkbox"/>			
Certified Food Handler DELIA BROWN					
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"					
Section #	C	NC	R	Narrative	To Be Corrected
218	X			Observed no copy of certified food manager. PIC stated CFM had left establishment and there are 3 employees registered for a class in early March.	1 month
355		X		When speaking with employee it was discovered mop water was not being discarded in the public sewer system. If mop sink is unavailable water can be disposed of in employee toilet.	Today
410		X		Measured lighting near fumehood at 45 footcandles. Replace bulbs that are out. 70 is minimum in areas of food prep. Other areas had missing bulbs but lighting was measured above 70 in food prep and warewash and above 20 in areas of storage.	2 weeks
411		X		Observed no light shield on light fixture near entrance. Replace unit cover or install safety shatter guards on bulbs.	2 weeks
Summary of Violations C <u> 1 </u> NC <u> 3 </u> R <u> 0 </u>					
Received by (name and title printed): DEBRA GREGORY				Inspected by (name and title printed): Thomas Snider CFS	
Received by (signature):				Inspected by (signature): <i>Thomas Snider</i>	
cc:		cc:		cc:	